Select Door Direct Marketing

Postcard Sizes Available*

- 4-1/4 x 6 Standard
- 6 x 9 Jumbo
- 4 x 10 Long
- 6 x 11 Oversized
- 9 x 12 Double
- * Custom sizes available, please contact your Select Direct Door Marketing Advisor for specs.

Accepted File Formats

- EPS
- TIF
- JPG
- Al
- PSD
- PDF

Guidelines for Artwork

- 300 dpi is recommended for high quality CMYK or grayscale images
- 812 dpi is recommended for high quality bitmap or line art images
- Convert all images to CMYK

Bleed

Bleed is the portion of the product that will be trimmed off when cut to the final size. The purpose of a bleed is to continue a color, image, or design to the edge of a product. Due to the possibility of shifting during the trimming process, a bleed is required to ensure a white line does not appear on the edges of your card. Please include 1/8" min. bleed on your product.

Crop Marks

Please build your press-ready digital files with crop marks to indicate trim size.

ART SUBMISSION GUIDELINES

Fonts

- All fonts must be embedded in PDFs
- Fonts must be outlined or converted to paths or curves in EPS files.

Safe Zone


All critical elements (text, images, logos, etc.) should be kept at least 0.125" inside the trim edge to avoid being cut off during trimming.

Please provide all information regarding project specs including: dimensions, color designations, bleed information, folding instructions, version information, number of pieces, files names, and any special instructions. 4.25x6 CARD.qxd:4.25x6 7/16/09 4:27 PM Page 1






Press Print Area



4X10 CARD 7/10/02 9:47 AM Page 1 (Black plate)

4" X 10" Card Template


Press Print Area



6" X 11" Card Template


Press Print Area

Press Print Area



6" X 9" Card Template


Press Print Area



9" X 12" (Folded & Tabbed) Card Template

Press Print Area

Press Print Area



Press Print Area